[illegible]

SECURITY
MADE IN GERMANY
SINCE 1883

HSL [illegible] Retrofit [illegible] ([illegible]) [illegible]

[illegible]. [illegible]: HSL C173



[illegible]

- [illegible] 1:1 [illegible] CHUBB® 4L78
- [illegible] HSL ([illegible] 180°)
- [illegible]-[illegible] – [illegible] HSL
- [illegible] 24 V DC
- [illegible]
- [illegible] ([illegible] L/[illegible])
- [illegible]/[illegible] 21 [illegible]
- [illegible]/[illegible], [illegible]
- [illegible] 500.000 [illegible] 1 [illegible]
- [illegible] 12,5 kN, [illegible] 50 kN

[illegible]


• [illegible] • [illegible] = [illegible] • [illegible] HSL [illegible] 180° • [illegible] • [illegible] • [illegible] • [illegible] • [illegible] • [illegible] 9 [illegible] • [illegible]

[illegible]

SECURITY
MADE IN GERMANY
SINCE 1883

[illegible]

[illegible]	[illegible]
[illegible]	flächenbündig oder aufgesetzt montierbar
[illegible] [illegible]	-40 °C [illegible] +65 °C
[illegible] [illegible]	[illegible] [illegible] (24 V DC) [illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible] [illegible]	[illegible] [illegible]
[illegible] [illegible]	[illegible] [illegible] [illegible] [illegible] [illegible] 9 [illegible], [illegible] [illegible] [illegible]
[illegible] LxBxH	267 x 30 x 285 mm
[illegible] [illegible] mm	25 mm
[illegible] [kg]	7,0 kg







SECURITY
MADE IN GERMANY
SINCE 1883



