SECURITY
MADE IN GERMANY
SINCE 1883

[illegible] PYLOCX 12V - VdS [illegible] 2

[illegible]: PL2014

[illegible] PYLOCX [illegible] [illegible] 12V [illegible] [illegible]. [illegible] [illegible] VLink. VdS [illegible] 2.



[illegible]

- [illegible] PYLOCX 12V
- [illegible] [illegible] [illegible]
- [illegible] [illegible] [illegible] [illegible] PIN
- [illegible] [illegible] [illegible] 10.000 [illegible]
- [illegible] VdS, [illegible] 2
- IP52
- [illegible] -20°C - 50°C
- [illegible] [illegible] Vlink

[illegible]

[illegible] [illegible] [illegible], [illegible] PYKEY [illegible] [illegible] [illegible] [illegible]. [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible] [illegible]. [illegible] [illegible] [illegible], [illegible] [illegible] [illegible] [illegible] [illegible] [illegible].

[illegible]

[illegible] [illegible]

[illegible] [illegible]

[illegible] [illegible]

SECURITY
MADE IN GERMANY
SINCE 1883

[illegible]

[illegible]	[illegible]
[illegible]	VdS 2.344:2.014-07 , VdS 2.369:2.022-09 , EN 1.300:2.013-11
[illegible] [illegible]	[illegible]
[illegible] [illegible]	IP52
[illegible]	[illegible] [illegible] [illegible] [illegible], [illegible]
[illegible] [illegible]	[illegible] [illegible] VLink -25°C - +50°C
[illegible] [illegible]	[illegible]
[illegible] [illegible]	PYKEY
[illegible] [illegible]	[illegible] [illegible], [illegible] [illegible]
[illegible]	[illegible] [illegible] [illegible] [illegible] [illegible]
[illegible] [illegible]	VdS [illegible] 2 EN 1.300 [illegible] B
[illegible] [illegible]	12V DC
[illegible] LxBxH	99,5 x 89 x 33 mm

SECURITY
MADE IN GERMANY
SINCE 1883



