



XXXXXXXXXX PYLOCX 12V - VdS XXXXX 2

XX. XXXXXXXXXXXX: PL2014

XXXXXXXXXX XXXXXXXXXXXX PYLOCX XXXXXXXXXXXXXXXX XXX XXXXXXXXXXXXXXXX  
12V X XXXXXXXXXXXX XXXXXXXXXXXXXXXX XXXXXXXX XXXXXXXX. XXXXXXXXXXXXXXXXXXXXXXXX  
XXXXXXXXXXXXX XXX XXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXX XXXXX VLink. VdS  
XXXXXX 2.



XXXXXXXXXXXXXXXXXXXX

- XXXXXXXX XXXXXXXXXXXX PYLOCX 12V
- XXXXXXXXXXXXXXXX XXX XXXXXXXXXXXXXXXX XXXXXXXX XXXXXXXX
- XXXXXXXXXXXX XX XXXXXXXX XXXXXXX XXXXXXXX X XXXXXXXX PIN
- XXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXX XXXX 10.000 XXXXXXXXXXXXXXXX
- XXXXXXXXXXXXXXXX VdS, XXXXXXX 2
- IP52
- XXXXXXX XXXXXXXXXXXXXXXX -20°C - 50°C
- XXXXXXXXXXXXXXXX XXXXXXXXXXXXXXX XXXXX Vlink

XXXXXXXXXXXXXXXXXXXX

XXXXX XXX XXXXXXXXXXXXXXX XXX XXXXXXXX, XX PYKEY XXXXXXXXXXXXXXXX  
XXXX XXXXXXXXXXXXXXXX XXXXXXXX XXXXXXXX XXX XXXXXXXXXXXXXXX. X XXXXXXXXXXXXXXX  
XXXXXXXXXXXXXXXXXXXX XXX X XXXXXXXXXXXXXXX XXXXXXXXXXXXXXXX XXX XXXXXXX XXX  
XX XXXXXXXX. XXXXX X XXXXXXXXXXXXXXX XXXXXXX XXX XXXXX, XXXXXXX  
XXXXXXXXXXXX X XXXXXXXXXXXXXXX XXXXXXXXXXXXXXX XXXXXXX XXXXXXXX XXXXXXXXXXXXXXX  
XXXXXXXXXX.

XXXXXXXXXX XXXXXXXXXXXXXXXX

XXXXXX

XXXXXXXXXX

XXXXXXXXXXXX

XXXXXX



**| SECURITY  
MADE IN GERMANY  
SINCE 1883**

