SECURITY
MADE IN GERMANY
SINCE 1883

PYLOCX Compact □□□□□□□□□□□ □□□□□□□□□□ □□ □□□□□□□□□□ □□□□□□□

□□. □□□□□□□□□□: PL61XX

□ □□□□□□□□□□ □□ □□□□□□□ Europrofil PYLOCX Compact, □□□□□□□□□□□□ □□ □□□□□□□□□□□□ □□□□ 30 mm □□□□□□□□□□□ / 30 mm □□□□□□□□□□□ □□□□ 60 mm □□□□□□□□□□□ / 60 mm □□□□□□□□□□□ (□□ □□□□□□□ □□□□ 5 mm). □□□□□□□□□□□□ □□□□□□□□□□□□□ □□ □□□□□□□□□□ 7,2 mm. □□□□□□□ □□□□□ □□□□ □□□□ 60 mm □□□□□□□□□□□□□□ □□□□□□□□□ □□□□□□□□□□□□□.

□□□□□□□□□□□□□□□□□

- 30 mm □□□□□□□□□□□ / 30 mm □□□□□□□□□□□ □□□□ 60 mm □□□□□□□□□□□ / 60 mm □□□□□□□□□□□
- □□□□□□□□□□□□□ □□ □□□□□□□□□□
- □□□□□□□□□□□ □□□□□□□□□□□ □□ □□□□□□□ Euro
- □□□□□□ □□□□□□□□□□□□□□□ -40 °C □□□□ +60 °C
- □□□□□□□□□□□□ □□□□□□ □□□□□□
- □□□□□□□□ □□ □□□□□□□ □□□□□ □□□□□□□ □ □□□□□□□□□ PIN
- □□□□□□□□□□□□ □□□□□□□ □□□□□□□□□□□□ □□□□□□□□□□□□ □□ □□□□□ □□□□ 3.000 □□□□□□□□□□
- □□□□□□□□□□□ □□□□ □□□□□□□□□□□ □□□□ □□□□□□□□□□□ □□□□□□ □□□□□ □□□□□ □□□□□□□□□□□ IP68

□□□□□□□□□□ □□□□□□□□□□□□□

□□□□□ □□□□□□□□□□ □ □□□□□□□□□, □□ PYKEY □□□□□□□□□□□□□□□ □□□□ □□□□□□□ □□□□□□□ □□□□ □□□□□□□□□□. □ □□□□□□□□□ □□□□□□□□□□□□□□□ □□□□ □ □□□□□□□□□ □□□□□□□□□□□□□□□□□ □□ □□□□□□ □□□□ □□ □□□□□□□□□. □□□□□ □□□□□□□□□□□ □□□□□ □□ □□□□, □□ □□□□□□□ □□□□□□□ □□ □□□□□□□□□□□□□ □□□□ □□ □□□□□□□□□. □□□□□ □ □□□□□□ □□□□□□ □□□□□□□□□, □□ □□□□□□□□□□□ □□□□□□□ □□□□□□□□□□□□□□□□ □□□□□□□□□□.

□□□□□□□□□□□ □□□□□□□

- Der Knaufzylinder eignet sich für Türen mit Euro-Profilzylinder in technischen oder sicherheitsrelevanten Bereichen wie Infrastruktur-, Technik- oder Versorgungsanlagen. Dank Möglichkeit des Einmalcode-Zugang und Protokollfunktion eignet sich das System besonders für Anwendungen mit wechselnden Zutrittsberechtigungen oder erhöhten Sicherheitsanforderungen..

□□□□□□□□ □□□□□□□□□□□□□□□

SECURITY
MADE IN GERMANY
SINCE 1883

[illegible]

[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible]
[illegible]	[illegible] Euro
[illegible]	IP68
[illegible]	[illegible] 7,2 mm [illegible]
[illegible]	-40 °C - +60 °C
[illegible]	[illegible]
[illegible]	PYKEY
[illegible]	[illegible]
[illegible]	[illegible], [illegible], [illegible]
[illegible]	[illegible] Europrofil [illegible]
[illegible] [mm]	[illegible] ([illegible]): 30-60 mm, [illegible] ([illegible]): 30-60 mm

SECURITY
MADE IN GERMANY
SINCE 1883



Steinbach & Vollmann GmbH | Parkstraße 11 42579 Heiligenhaus | +492056140 | info@stuv.de | www.stuv.de