




# PYLOCX Compact 0-60mm Europrofil 5mm

Modell: PL63XX

Das Produkt PYLOCX Compact Europrofil, ist ein 0-60mm Europrofil / 30mm Europrofil (5mm). Die Schlüssellänge beträgt 7,2mm, die Schlüssellänge ist 5mm. Die Schlüssellänge ist 7,2mm, die Schlüssellänge ist 5mm.



## Merkmale

- 0 mm Europrofil / 30 mm Europrofil 0 mm Europrofil / 60 mm Europrofil
- Schlüssellänge 7,2 mm
- Schlüssellänge 5 mm Euro
- Temperaturbereich -40°C - +60°C
- Schlüssellänge 7,2 mm
- Schlüssellänge 5 mm PIN
- Schlüssellänge 10.000 Schlüssellänge
- Schlüssellänge VdS
- Schlüssellänge IP68

## Technische Details

Das Produkt ist ein 0-60mm Europrofil, das mit PYKEY Schlüsseln kompatibel ist. Die Schlüssellänge beträgt 7,2mm, die Schlüssellänge ist 5mm. Die Schlüssellänge ist 7,2mm, die Schlüssellänge ist 5mm.

## Abmessungen

Abmessungen

Abmessungen



XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXX

XXXXXX

XXXXXX XXXXXXXXXXXXX

XXXX XXXXXXXXXXXXX XXX XXXXXXX XXXXXXXXXXXXX XXX XXXXXXX Euro

XXXXXX XXXXXXXXXXXXX

IP68

XXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX XXX XXXXXXXXXXXXX 7,2mm, XXXXXXXXXXXXX XXXXXXX XXX XXXXXXXXXXXXX XXX

XXXXXX XXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX XXXXXXX  
-40°C - +60°C

XXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXX XXXXXXXXXXXXX

PYKEY

XXXXXX XXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXX

XXXXXX

XXXXXX XXXXXXXXXXXXX XXXXXXX Euro

XXXXXX XXXXXXX [mm]

XXXXXX XXXXXXXXXXXXXXX (XXXXXXXXXXXX): 0, XXXXXXX XXXXXXXXXXXXXXX (XXXXXXXXXXXX): 30-60

mm

| SECURITY  
| MADE IN GERMANY  
| SINCE 1883

