

PYKEY mobile electronic key

Article No.: PL1011

The PYKEY is used to enter the PYCODE®. The PYKEY® ensures the power supply for up to 700 openings and is rechargeable via USB.

PYKEY

Properties

- Opening options:
- One-time code
- Fixed PIN
- De-energised
- With fixed power supply to the lock

Functional description

After entering the code, the PYKEY® is placed on the corresponding contact point or device. The code is transmitted and the device is supplied with power for opening if necessary.

Technical data

Material	Composite materials	
Surface	Rough	
		-
Colour	Dark blue	
Dimensions LxWxH	65.2 x 46.1 x 20.1mm	
Standards	VdS 2.344:2.014-07 , VdS 2.369:2.03	22-09 , EN 1.300:2.013-11 , VdS 2.110:2.017-09 , VdS
	2.203:2.001-03 , VdS 2.119:2.003-12 , VdS 2.271:2.007-12	



Technical data

IP-Rating	IP53
Feature	~700 inserts with a full battery
Temperature range	0°C - +50°C
Locking function	Electronic
Locking type	Code entry
Utilisation	Opening by code
Charging technology	Li-ion battery
Safety class	For systems with VdS class 2 and 3
Firmware	4.5.1.10
Dimensions [mm]	65.2 x 46.1 x 20.1



