Data sheet

SECURITY
MADE IN GERMANY
SINCE 1883

# PYLOCX electronic fitting

Article No.: PL70XX

Battery-free electronic security fitting, optionally with or without mechanical profile cylinder emergency locking. Suitable for 7/8/9 mm nut, 70/72/85/88/92 mm distance. Suitable for indoor and outdoor applications as well as fire doors.



## Properties

- Universally applicable security fitting
- Solid stainless steel
- Opening via one-time code or PIN
- Suitable for indoor and outdoor use, as well as fire doors
- Mechanical profile cylinder emergency locking possible
- Various profiles available

## Functional description

After entering the code, the PYKEY is placed on the contact point of the device. The code is transmitted and the device is supplied with power to open it. The door can now be opened using the unlocked door handle.

## Technical specifications

| | |
|---|---|
| Material | Stainless steel |
| Colour | Silver |
| Standards | EI60, EN16.867 |
| IP-Rating | IP68 |

SECURITY
MADE IN GERMANY
SINCE 1883

## Technical specifications

| | |
|---|---|
| Locking function | Electronic |
| Locking set | PYKEY |
| Lock type | Automatic deadlocking |
| Use | Electronic door fitting |
| Dimensions LxWxH | Profiles: None, 70/72/85/88/92 mm, Nut: 7/8/9 mm |



SECURITY
MADE IN GERMANY
SINCE 1883





Steinbach & Vollmann GmbH | Parkstraße 11 42579 Heiligenhaus | +492056140 | info@stuv.de | www.stuv.de