

## PYBOX 18L

Article No.: PL8018

---

The PYBOX® protects highly sensitive data carriers, expensive IT components, valuables and documents from access by third parties and is used thousands of times for the secure supply chain of smart meter gateways. The PYBOX® is the world's first security box to be certified by the BSI. Available in six different sizes, made of impact-resistant composite materials or aluminium, and as a Euro pallet enclosure and trolley.



### Properties

- Universally applicable transport box
- Suitable for secure supply chain
- BSI-certified
- VdS-certified
- Integrated PYLOCX system VdS class 3
- Opening by one-time code or PIN
- Designed for operation without electricity
- Readable opening protocol up to 10,000 entries
- Size 17 litres

### Functional description

After entering the code, the PYKEY® is placed on the contact point of the transport box. The code is transmitted and the device is supplied with power for opening. The transport box can now be opened.

### Technical data

Load capacity [kg]	30
--------------------	----

---

## Technical data

Material	Aluminium
Surface	Shiny
Colour	Silver
IP-Rating	IP54
Feature	Integrated PYLOCX® high-security locking system
Temperature range	-25°C - +50°C
Locking function	Electronic
Locking set	PYKEY
Locking type	Manual keyed
Load capacity	30
Weight [kg]	9.2
Utilisation	High-security transport box
WebGL	<a href="https://api.sts.sch-server.de/sync/renderings/PYBOX/Stuv_Box_01(4).glb">https://api.sts.sch-server.de/sync/renderings/PYBOX/Stuv_Box_01(4).glb</a>
Dimensions [mm]	588 x 388 x 120

**SECURITY  
MADE IN GERMANY  
SINCE 1883**

