

PYBOX 18L

Article No.: PL8019

The PYBOX protects highly sensitive data carriers, expensive IT components, valuables and documents from unauthorised access and is used thousands of times over for the secure supply chain of smart meter gateways. The PYBOX is the world's first security box to be certified by the BSI. Available in six different sizes, made of impact-resistant composite materials or aluminium, as well as a Euro pallet enclosure and trolley.



Properties

- Universally applicable transport box
- Suitable for secure supply chain
- BSI certified
- VdS certified
- Integrated PYLOCX system VdS Class 3
- Opening via one-time code or PIN
- Designed for operation without power
- Readable opening log with up to 10,000 entries
- Size 17 litres

Functional description

After entering the code, the PYKEY is placed on the contact point of the transport box. The code is transmitted and the device is supplied with power for opening. The transport box can now be opened.

Technical specifications

Material Aluminium



Technical specifications

Surface	Shiny	
Colour	Silver	
Opening angle	bis 90° (Deckel über Scharniere ur	nd Gurtbänder gesichert)
IP-Rating	IP54	
Feature	Integrated PYLOCX high-security	locking system
Temperature range	-25°C to +50°C	
Locking function	Electronic	
Locking type	Elektro-Mechanisch	
Locking set	PYKEY	
Lock type	Manual keyed	
Levers	Blockriegel (Deadbolt) in Verbindu	ung mit speziell gesichertem Schliesskloben
Weight [kg]	9.2	
Lever 2	Zusätzliche Hebelspannverschlüss	se
Closing operations	Bis zu 1.000 Box Öffnungen mit eir	ner PYKEY-Ladung
Use	High-security transport box	
Dimensions LxWxH	588x388x115mm	
Load capacity [kg]	30	

