

## Simplox pan head screw connector set 122

Article No.: Simplox 122

Never before has the installation in the panels and the connector of the panels been as quick, easy and secure as with the new, patented SIMPLOX. The SIMPLOX enables gap-free and bubble-free foam integration into the panels without the need for masking. Adapter pins of different sizes guarantee fast, laterally correct and precise installation and ensure reliable panel ventilation during the foaming process. Experience SIMPLOX now: <https://simplox.stuv.de/>



### Properties

- Polystyrene cassettes
- Zinc-plated steel hooks
- Available with or without filter for ventilation
- Patented ventilation and protective skin
- For 8 AF hexagon spanners
- Clamping distance 12 mm
- Span 180°

### Functional description

During the foaming process, the new, patented protective skin technology prevents foam from penetrating. After foaming, the self-opening protective skin is simply pierced with an allen key (optionally available as accessories). When tightening with the Allen key, the galvanised steel hook then breaks through the protective skin on the side and can swing effortlessly into the block element. The entire span of the allen key, from insertion to the end position, is only a maximum of 180°.

### Locations

- Cold room manufacturer
- Refrigerated door manufacturer
- Components

#### Technical data

|                        |   |
|------------------------|---|
| Material               | Polystyrene   |
| Colour                 | RAL 9.005   |
| Insert                 | WIDTH ACROSS FLAT 8                                   |
| Hole position          | closed  |
| Venting                | yes   |
| Accessories            | Strike, adapter pin, actuating spanner, covering caps |
| Hole spacing [mm]      | 122   |
| Clamping distance [mm] | 12  |

**SECURITY**  
**MADE IN GERMANY**  
**SINCE 1883**



**SECURITY  
MADE IN GERMANY  
SINCE 1883**



**SECURITY  
MADE IN GERMANY  
SINCE 1883**

