

Mammut quarter turn, 7 mm square

Article No.: V03700800

MAMMUT increases your flexibility and reduces your storage costs. This compression latch was developed to fulfil the special demands of the industry in terms of function and design.



Properties

- MAMMUT offers completely new problem-solving options for developers and designers. Its outstanding features are:
- Tolerance compensation
- Vibration-proof Dust and moisture-proof to IP 65
- Position indicator for the deadbolt
- 5 mm tightening stroke
- Can be used with variable door thicknesses
- Different types of actuation
- Good price/performance ratio

Functional description

Quarter turns with compression provide a dual function: they lock the housing securely with a cam and at the same time pull the door or flap firmly against the seal. This optimally protects the housing against the ingress of dust and moisture. These quarter turns are particularly suitable for applications where a high level of sealing and reliable protection of the inside of the enclosure is required, especially in harsh environmental conditions.

Technical data

Material Zinc die



Technical data

Surface	Chrome-plated	-
Colour	Silver	_
Installation opening	⊠20.2 mm x Ø22.2 mm	-
Case diameter	Ø 28 mm	-
Length of housing	28 mm	
Length of flousing	20 111111	-
Insert	Square 7mm	-
Assembly	Partially assembled	-
Feature	With compression	_
WebGL	https://api.sts.sch-server.de/synd	c/renderings/03.700.800/webGL/03.700.800.gltf
Installation opening [mm]	⊠ 20.2 × Ø 22.2	-
Housing diameter [mm]	Ø 28	
Length of housing [mm]	28	



