

Mammut quarter turn, square 7 mm

Article No.: V03700800

MAMMUT increases your flexibility and reduces your storage costs. This compression latch was developed to meet the special requirements of industry in terms of function and design.



Properties

- MAMMUT offers completely new problem-solving options for developers and designers. Its outstanding features are:
- Tolerance compensation
- Vibration-proof Dust and moisture-proof according to IP 65
- Position indicator for the deadbolt
- 5 mm pull stroke
- Can be used with variable door thicknesses
- Different types of actuation
- Good price/performance ratio

Functional description

Quarter turn locks with compression provide a dual function: they securely lock the housing with a cam and simultaneously pull the door or flap tightly against the seal. This provides optimum protection for the housing against the ingress of dust and moisture. These quarter turn locks are particularly suitable for applications where a high level of sealing and reliable protection of the housing interior is required, especially in harsh environmental conditions.

Technical specifications

Material Zinc die



Technical specifications

Surface	Chrome-plated	
Colour	Silver	
Mounting hole	⊠20.2 mm x Ø22.2 mm	
Haveing disperse.	Ø 22	
Housing diameter	Ø 28 mm	
Length of housing	28 mm	
Insert	Square 7 mm	
Assembly	Partially assembled	
Feature	With compression	
WebGL	https://api.sts.sch-server.de/synd	c/renderings/03.700.800/webGL/03.700.800.gltf
Installation opening [mm]	⊠ 20.2 x Ø 22.2	
Housing diameter [mm]	Ø 28	
Length of housing [mm]	28	



