



Rosettenschutzbeschlag für Comfortzylinder -
 PL6011-RSB1

Article No.: VA73400202

Comfort rosette protection fitting - PL6011-RSB1

Properties

- Protects against the elements and contaminants (IP44). Provides visual camouflage for military applications. Various patterns and colors available upon request.



Functional description

The cover flap can be opened and closed by hand using a pivot.

Technical specifications

Material	brass
Surface	glass bead blasted
Colour	Miscellaneous
Insert	can be opened manually
Assembly	Base plate: pre-drilled with 3 countersunk holes (DIN 74-A, M4); Cover: secured
Fixing type	with 3 screws—M4x16 Torx countersunk screws with locking pins in accordance screw-on with DIN 9.123 (included in the scope of delivery!)
Opening angle	185° (depending on installation location)
IP-Rating	IP44 (with cover closed)
Feature	with pinned covering cap
Locking function	Can be closed manually (remains open until then)

Technical specifications

Locking type	non-locking
Door type	Suitable for functional doors and security doors
Weight [kg]	1,325
Use	Protective cover for comfort cylinder
Dimensions LxWxH	Ø (base plate): 118 mm; Ø (cover): 88 mm; total height: 31.5 mm



| SECURITY
| MADE IN GERMANY
| SINCE 1883



**SECURITY
MADE IN GERMANY
SINCE 1883**

