

## Rosettenschutzbeschlag für Comfortzylinder - PL6011-RSB1

Article No.: VA73400202

Comfort rosette protection fitting - PL6011-RSB1

### Properties

- Protects against the elements and contaminants (IP44). Provides visual camouflage for military applications. Various patterns and colors available upon request.



### Functional description

The cover flap can be opened and closed by hand using a pivot.

### Technical specifications

Material	brass
Surface	glass bead blasted
Colour	Miscellaneous
Insert	can be opened manually
Assembly	Base plate: pre-drilled with 3 countersunk holes (DIN 74-A, M4); Cover: secured
Fixing type	with 3 screws—M4x16 Torx countersunk screws with locking pins in accordance with DIN 9.123 (included in the scope of delivery!)
Opening angle	185° (depending on installation location)
IP-Rating	IP44 (with cover closed)
Feature	with pinned covering cap
Locking function	Can be closed manually (remains open until then)

Technical specifications

Locking type	non-locking
Door type	Suitable for functional doors and security doors
Weight [kg]	1,325
Use	Protective cover for comfort cylinder
Dimensions LxWxH	Ø (base plate): 118 mm; Ø (cover): 88 mm; total height: 31.5 mm



**SECURITY**  
**MADE IN GERMANY**  
**SINCE 1883**



**SECURITY**  
**MADE IN GERMANY**  
**SINCE 1883**

