

## VARIOFLEX cold room flap hinge, composite materials, up to 80kg load capacity

Article No.: VARIOFLEX2.KG80.FLP

---

### Properties

- 2D adjustability
- Load capacity up to 80 kg
- Opening angle 180°
- Available in different colours
- Available in rising or non rising
- Easy and quick assembly
- Latching function at 120° (rising version only)
- For flush doors, centre of rotation 29 mm
- Covering caps with security



### Functional description

The VARIOFLEX2 flap hinge made of composite materials is ideal for insert parts on light to medium-weight flush doors. By using glass fibre-reinforced composite materials, we achieve load-bearing capacities of up to 80 kg without losing corrosion resistance. In addition to design elements, you can also choose other functions from the modular system.

### Locations

- Cold room manufacturer
- Refrigerated vehicles
- Refrigerated hardware trade
- Metal/door construction
- Refrigerated door manufacturer

### Technical data

## Technical data

Load capacity [kg]	up to 80
Material	Composite materials
Surface	Coloured
Colour	RAL XXXX
Door version	Right-hand version / left-hand version
Adjustability	2D
Opening angle	180°
Door type	Hinged door
Accessories	Shims
Gradient	Yes / No
Load capacity	up to 80
Offset	0
Security	No
Offset [mm]	0

**SECURITY  
MADE IN GERMANY  
SINCE 1883**

