
SECURITY
MADE IN GERMANY
SINCE 1883

PYLOCX Compact [illegible] [illegible] [illegible]

[illegible]: PL61XX

[illegible] [illegible] PYLOCX Compact, [illegible] [illegible] 30 [illegible] ([illegible]) / 30 [illegible] ([illegible]) [illegible] 60 [illegible] ([illegible]) / 60 [illegible] ([illegible]) ([illegible] 5 [illegible]). [illegible] [illegible] [illegible] 7,2 [illegible]. [illegible] [illegible] 60 [illegible] [illegible]



[illegible]

- 30 [illegible] ([illegible]) / 30 [illegible] ([illegible]) [illegible] 60 [illegible] ([illegible]) / 60 [illegible] ([illegible])
- [illegible] [illegible]
- [illegible]
- [illegible]: [illegible] -40 °C [illegible] +60 °C
- [illegible]
- [illegible] [illegible] PIN-[illegible]
- [illegible] [illegible] [illegible] 3000 [illegible]
- [illegible] IP68

[illegible]

[illegible] PYKEY [illegible]. [illegible], [illegible] [illegible]. [illegible]

[illegible]

- Der Knaufzylinder eignet sich für Türen mit Euro-Profilzylinder in technischen oder sicherheitsrelevanten Bereichen wie Infrastruktur-, Technik- oder Versorgungsanlagen. Dank Möglichkeit des Einmalcode-Zugang und Protokollfunktion eignet sich das System besonders für Anwendungen mit wechselnden Zutrittsberechtigungen oder erhöhten Sicherheitsanforderungen..


[illegible]

SECURITY
MADE IN GERMANY
SINCE 1883

[redacted]

[redacted]	[redacted]
[redacted]	[redacted]
[redacted]	[redacted]
[redacted]	[redacted]
[redacted]	IP68
[redacted]	[redacted] 7,2 [redacted]
[redacted]	[redacted] -40 °C [redacted] +60 °C
[redacted]	[redacted]
[redacted]	PYKEY
[redacted]	[redacted]
[redacted]	[redacted], [redacted], [redacted]
[redacted]	[redacted]
[redacted] [redacted]	[redacted] (): 30-60 [redacted], [redacted] (): 30-60 [redacted]

SECURITY
MADE IN GERMANY
SINCE 1883



Steinbach & Vollmann GmbH | Parkstraße 11 42579 Heiligenhaus | +492056140 | info@stuv.de | www.stuv.de