

XXXXXXXXXXXX XXXXXXXX



PYLOCKX XXXXX XXX XXXXX

XXXXX XXXXXX: PL74XX

XXXXXXXXXXXXXXXXXXXXXXX XXXXXXX XXX XXXXXXX XXXXXXXXXXXX
XXXX XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXXX, XXXXXXXXXXX
XXXXXXXXXXXXXXXXX X XXXXXXX XX XXXXXXXXXXX. XXXXXXXXXXX XXX
XXXXXXXXXXXXXXXXX XX RC3 XXXXXXXXXXXX DIN EN 1627 X XXXXXXX
D400. XXXXXXXXXXX XXX XXXXXXXXXXXXXXXXXXXX X XXXXX Ex 1.
XXXXXXXXXXXXXXXX XXXXXXXXXXXX X XXXXXXXXXXXX 35/40 XX, X/XXXX
XXXXXX.



XXXXXXXXXX

- XXXXXXXXXXXXXXXXXXXX XXXXXXXXXXX XXXXX
- XXXXXXXXXXXX X XXXXXXXXXXX XXXXXXXXXXXXXXXXXXX XXXXX XXX PIN-XXXX
- XXXXXXXXXXX XXX XXXXXXX XX RC3 XXXXXXXXXXXX DIN EN 1627 X XXXXXXX D400
- XXXXXXXXXXX XXX XXXXXXXXXXXXXXXXXXXX X XXXXX Ex 1
- XXXXXXXXXXX XXXXXXXXXXXX XXXXXXXXXXX

XXXXXXXXXX XXXXXXX

XXXXX XXXXXXX XXXX PYKEY XXXXXXXXXXXXXXXXXXXX XX
XXXXXXXXXXXXXXXX XXXXXXX XXXXXXXXXXXXXXX. XXX XXXXXXXXXXXXXXX, X
XXXXXXXXXXXXXXXX XXXXXXXXXXX XXXXXXXXXXX XXX XXXXXXXXXXX. XXXXXXX
XXXXXX XXXXXXXXXXX XXXXXXX. XXX XXXXXXXXXXX XXXXXXXXXXXXXXX
XXXXXX XXXXXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXX.

XXXXXXXXXXXXXXXX XXXXXXXXXXXXXXXXXXX

XXXXXX	XXXXXX
XX XXXXXXXXXXX	XXXXXXXXX X XXXXXXXXXXXXXXXXXXX XXXXXXX XXXXX
XX XXXXXXX	IP65



XX

XXXXXXXXXX XXXXXXXXXXXXXXXX

-40°C - +60°C

XXXXXXXXXX XXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXX

XXXXXXXXXX XXXXXXXXXXXXXXXX

PYKEY

XXXX XXXXX


XXXXXXXXXXXXXXXXXXXXXXXXXXXX

XXXXXXXXXXXXXXXXXXXX

XXXXXXXXXX XXXXXXXXXXXXXXXX XXXXXXXX X XXXXXXXXXXX XXXXXXXXXXXXXXX

XXXXXXXXXX XxXxX

Ø33/35/40/46 XX



SECURITY
MADE IN GERMANY
SINCE 1883

